



YOU'VE BEEN PRESCRIBED ENBREL.

Now, get the right help, right from the start.

ENBREL Support[®]

Important Safety Information

Notes

To enroll in *ENBREL Support*[®]



ENBREL Support[®]

Look inside to learn about what *ENBREL Support*[®] has to offer and how to enroll.

Prescribing Information

Print Here

Please see Important Safety Information on pages 4–5 and Prescribing Information and Medication Guide [here](#).





ENBREL Support®

Important Safety Information

Notes

To enroll in ENBREL Support®

Prescribing Information

Print Here



Once you've been prescribed ENBREL, ENBREL Support® is here to help you.

For more than 15 years, we've helped people with personalized support and resources for their prescribed ENBREL treatment.

ENBREL Support® offers financial resources and information.

- **Co-Pay Card***: Eligible commercially insured patients may pay as little as \$5 per month with the Enbrel® Co-Pay Card.
- **Other Resources**: Options may be available for those without commercial insurance. Call us to learn more.

Have questions about the injection process?

We'll provide you one-on-one help.

- **Supplemental support**: After your doctor has trained you on how to inject ENBREL, an ENBREL Nurse Partner™ can help answer questions and provide supplemental injection support at home or over the phone.†
- **Online videos‡**: Check out helpful demonstration videos at injectingenbrel.com.
- **Live help**: Call 1-888-4ENBREL (1-888-436-2735) for help from an ENBREL Nurse Partner™.†

Ready to begin your treatment but have questions?

My Enbrel Guide can help.

- **A guided journey**: My Enbrel Guide was co-created with patients and designed for new Enbrel® patients. Providing guidance and encouragement, My Enbrel Guide also answers questions you may have as you begin treatment. To order one call 1.888.4.ENBREL or download it at enbrel.com/resources/my-enbrel-guide.

*Terms, conditions, and program maximums apply. See enbrelsupport.com for full eligibility details. Other restrictions may apply. This program is not open to patients receiving prescription reimbursement under any federal, state, or government-funded healthcare program. Not valid where prohibited by law.

†ENBREL Nurse Partners™ are nurses by training, but they are not part of your treatment team or an extension of your doctor's office. ENBREL Nurse Partners™ do not inject patients with ENBREL. You will be referred to your doctor's office for clinical advice.

‡These videos are to supplement the information you got from your doctor on how to take ENBREL. They do not replace the Instructions for Use. Please consult the Instructions for Use when using ENBREL, and ask your doctor if you have any questions.

IMPORTANT SAFETY CONSIDERATIONS

ENBREL works on your immune system and can make it harder to fight infections. Serious infections, like tuberculosis (TB) and infections caused by viruses, fungi, or bacteria, have happened in patients taking ENBREL. Some patients have died from these infections. Your doctor should test you for TB before you take ENBREL. If you start to get an infection while you are taking ENBREL tell your doctor right away. ENBREL can also raise other safety concerns, like lymphoma and other cancers.

Please see Important Safety Information on pages 4–5 and Prescribing Information and Medication Guide [here](#).

Want to get started with ENBREL Support®?

It's simple to sign up:

- Call 1-888-4ENBREL
- -OR-
- Visit enbrelsupport.com

Know when it's us

- **Scan and save**. Simply scan this code with your phone's camera and save us to your contacts so you know when we are calling.





ENBREL Support®


Important Safety Information

Notes

To enroll in ENBREL Support®

Prescribing Information

Print Here



ENBREL Support® may help lower your monthly out-of-pocket prescription costs.

The Enbrel® Co-Pay Card.

When you enroll in ENBREL Support® and have commercial insurance, you can apply for the ENBREL Co-Pay Card which may help lower your out-of-pocket prescription costs for ENBREL. Eligible commercially insured patients may pay as little as \$5 per month with the ENBREL Co-Pay Card*. Once approved, your card will be sent in the mail.

Most people who have commercial insurance (insurance you buy on your own or that is provided through your job) are eligible. Other options may be available for those without commercial insurance. Call us to learn more.

*Terms, conditions, and program maximums apply. Other restrictions may apply. See enbrelsupport.com for full eligibility details. This program is not open to patients receiving prescription reimbursement under any federal, state, or government-funded healthcare program. Not valid where prohibited by law.

Medicare Solutions Support

Our Medicare Solutions Specialists can help you better understand your Medicare coverage

- Our team can educate you on potentially available Medicare plans in your area for which you may qualify. Medicare Solutions Specialists can review with you the expected costs for selected plans as they appear on Medicare's website
- Medicare Solutions Specialists can also help you understand the Medicare Part D plan phases.
- Help with understanding Medicare's Low-Income Subsidy program (also known as LIS or Extra Help) and screen patients for eligibility or refer you to third-party non-profit foundations that may be able to help with out-of-pocket costs*

COVERAGE GAP – To understand potential Medicare costs during the coverage gap, please visit: <https://www.medicare.gov/drug-coverage-part-d/costs-for-medicare-drug-coverage/costs-in-the-coverage-gap>

*Support provided through independent charitable patient assistance programs; program eligibility is based on the charity's criteria. ENBREL Support® has no control over independent, third-party programs and provides referrals as a courtesy only.

Please see Important Safety Information on pages 4–5 and Prescribing Information and Medication Guide [here](#).



ENBREL Support®

Important Safety Information

Notes

To enroll in ENBREL Support®

Prescribing Information

Print Here



Prescription Enbrel® (etanercept) is taken by injection.

INDICATIONS

ENBREL is indicated for reducing signs and symptoms, keeping joint damage from getting worse, and improving physical function in patients with moderately to severely active rheumatoid arthritis. ENBREL can be taken with methotrexate or used alone.

ENBREL is indicated for reducing signs and symptoms of moderately to severely active polyarticular juvenile idiopathic arthritis (JIA) in children ages 2 years and older.

ENBREL is indicated for reducing signs and symptoms, keeping joint damage from getting worse, and improving physical function in patients with psoriatic arthritis. ENBREL can be used with or without methotrexate.

ENBREL is indicated for reducing signs and symptoms in patients with active ankylosing spondylitis.

ENBREL is indicated for chronic moderate to severe plaque psoriasis (PsO) in children 4 years and older and adults who may benefit from taking injections or pills (systemic therapy) or phototherapy (ultraviolet light).

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about ENBREL?

ENBREL is a medicine that affects your immune system. ENBREL can lower the ability of your immune system to fight infections. Serious infections have happened in patients taking ENBREL. These infections include tuberculosis (TB) and infections caused by viruses, fungi, or bacteria that have spread throughout the body. Some patients have died from these infections. Your healthcare provider should test you for TB before you take ENBREL and monitor you closely for TB before, during, and after ENBREL treatment, even if you have tested negative for TB.

There have been some cases of unusual cancers, some resulting in death, reported in children and teenage patients who started using tumor necrosis factor (TNF) blockers before 18 years of age. Also, for children, teenagers, and adults taking TNF blockers, including ENBREL, the chances of getting lymphoma or other cancers may increase. Patients with RA may be more likely to get lymphoma.

Before starting ENBREL, tell your healthcare provider if you:

- Have any existing medical conditions
- Are taking any medicines, including herbals

- Think you have, are being treated for, have signs of, or are prone to infection. You should not start taking ENBREL if you have any kind of infection, unless your healthcare provider says it is okay
- Have any open cuts or sores
- Have diabetes, HIV, or a weak immune system
- Have TB or have been in close contact with someone who has had TB
- Were born in, lived in, or traveled to countries where there is more risk for getting TB. Ask your healthcare provider if you are not sure
- Live, have lived in, or traveled to certain parts of the country (such as, the Ohio and Mississippi River valleys, or the Southwest) where there is a greater risk for certain kinds of fungal infections, such as histoplasmosis. These infections may develop or become more severe if you take ENBREL. If you don't know if these infections are common in the areas you've been to, ask your healthcare provider
- Have or have had hepatitis B
- Have or have had heart failure
- Develop symptoms such as persistent fever, bruising, bleeding, or paleness while taking ENBREL
- Use the medicine Kineret (anakinra), Orencia (abatacept), or Cytoxan (cyclophosphamide)
- Are taking anti-diabetic medicines
- Have, have had, or develop a serious nervous disorder, seizures, any numbness or tingling, or a disease that affects your nervous system such as multiple sclerosis or Guillain-Barré syndrome
- Are scheduled to have surgery
- Have recently received or are scheduled for any vaccines. All vaccines should be brought up-to-date before starting ENBREL. Patients taking ENBREL should not receive live vaccines.
- Are allergic to rubber or latex
- Are pregnant, planning to become pregnant, or breastfeeding
- Have been around someone with chicken pox

Please click [here](#) for the Prescribing Information and Medication Guide.



ENBREL Support®

Important Safety Information

Notes

To enroll in ENBREL Support®

Prescribing Information

Print Here



IMPORTANT SAFETY INFORMATION (CONTINUED)

What are the possible side effects of ENBREL?

ENBREL can cause serious side effects including: New **infections** or worsening of infections you already have; **hepatitis B** can become active if you already have had it; **nervous system problems**, such as multiple sclerosis, seizures, or inflammation of the nerves of the eyes; **blood problems** (some fatal); new or worsening **heart failure**; new or worsening **psoriasis**; **allergic reactions**; **autoimmune reactions**, including a lupus-like syndrome and autoimmune hepatitis.

Common side effects include: Injection site reactions and upper respiratory infections (sinus infections). In general, side effects in children were similar in frequency and type as those seen in adult patients. The types of infections reported were generally mild and similar to those usually seen in children.

These are not all the side effects with ENBREL. Tell your healthcare provider about any side effect that bothers you or does not go away.

If you have any questions about this information, be sure to discuss them with your healthcare provider. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

Please click [here](#) for the Prescribing Information and Medication Guide.



ENBREL Support[®]

Important Safety Information

Notes

To enroll in *ENBREL Support*[®]

To enroll in *ENBREL Support*[®]:

PHONE: 1-888-4ENBREL
(1-888-436-2735)

ONLINE: EnbrelSupport.com

Prescribing Information

Print Here

Please see Important Safety Information on pages 4–5 and Prescribing Information and Medication Guide [here](#).