




LOOK. LEARN. DISCUSS.

Your guide to choosing ENBREL with your child's doctor.



Why choose ENBREL?

HOW ENBREL works in JIA

Understanding JIA

How ENBREL works in plaque psoriasis

Understanding plaque psoriasis

How ENBREL can help

Injection tips

Injection options

Important Safety Information

ENBREL Support®

Notes

Prescribing Information

Print Here

See what ENBREL can do for your child.

For children ages 2 and older with moderate to severe polyarticular juvenile idiopathic arthritis (JIA).

For children ages 4 years and older with chronic moderate to severe plaque psoriasis (PsO), who may benefit from taking injection or pills (systemic therapy) or phototherapy (ultraviolet light).

IMPORTANT SAFETY CONSIDERATIONS

Serious infections have happened in patients taking ENBREL. These infections include tuberculosis (TB) and infections caused by viruses, fungi, or bacteria that have spread throughout the body. Some patients have died from these infections. There have been some cases of unusual cancers reported in children and teenage patients who started using tumor necrosis factor (TNF) blockers before 18 years of age. Also, for children, teenagers, and adults taking TNF blockers, including ENBREL, the chances of getting lymphoma or other cancers may increase.

Please see Important Safety Information on page 12 and Prescribing Information and Medication Guide [here](#).



For children ages 2 and older with moderate to severe polyarticular juvenile idiopathic arthritis (JIA).

For children ages 4 years and older with chronic moderate to severe plaque psoriasis (PsO).

Why choose ENBREL?

HOW ENBREL works in JIA

Understanding JIA

How ENBREL works in plaque psoriasis

Understanding plaque psoriasis

How ENBREL can help

Injection tips

Injection options

Important Safety Information

ENBREL Support®

Notes

Prescribing Information

Print Here

Why choose ENBREL?

A BIOLOGIC MEDICINE.

ENBREL is a type of medicine known as a biologic, which is made from living things, like cells.

A LONG HISTORY OF EXPERIENCE.

For over 20 years, rheumatologists have prescribed ENBREL to help children with moderate to severe polyarticular JIA experience symptom relief.

Since 2004, dermatologists have prescribed ENBREL to treat adults with moderate to severe plaque psoriasis. In 2016, ENBREL became the first biologic approved to treat children 4 years and older with moderate to severe plaque psoriasis.

EFFECTIVE FOR MANY CHILDREN.

ENBREL is proven to help skin get clearer for children 4 years or older with moderate to severe plaque psoriasis PsO. It also helps relieve joint pain, stiffness, and swelling for those with moderate to severe polyarticular JIA—which could improve your child’s ability to move with relief from their symptoms. Results may vary.

WORKS WHERE YOUR CHILD’S SYMPTOMS START.

When the immune system isn’t working properly, it can lead to inflammation. This inflammation can cause signs and symptoms, such as joint pain and stiffness. It can also result in patches of red, itchy skin called plaques. ENBREL works to block a specific protein that can cause inflammation. Because ENBREL works on the immune system, it can make it harder to fight infections. To learn more, see Important Safety Information on page 12.

OFFERS INDIVIDUALIZED SUPPORT.

Once your child has been prescribed ENBREL, *ENBREL Support*® can provide resources and information to help you and your child along the way, at no additional cost to you. Once enrolled, you can request information about financial support options and supplemental injection training.

Learn more about *ENBREL Support*® and how to enroll on page 13.



A NUMBER OF INJECTION OPTIONS.

Depending on your child’s weight, your child’s doctor will choose an injection option that is comfortable for them.

- Prefilled syringe
- Single-dose vial
- Enbrel Mini® single-dose prefilled cartridge with AutoTouch® reusable autoinjector
- SureClick® Autoinjector

Learn more about all of the injection options ENBREL has to offer on pages 10–11.

IMPORTANT SAFETY CONSIDERATIONS

Serious infections have happened in patients taking ENBREL. These infections include tuberculosis (TB) and infections caused by viruses, fungi, or bacteria that have spread throughout the body. Some patients have died from these infections. There have been some cases of unusual cancers reported in children and teenage patients who started using tumor necrosis factor (TNF) blockers before 18 years of age. Also, for children, teenagers, and adults taking TNF blockers, including ENBREL, the chances of getting lymphoma or other cancers may increase.


Please see Important Safety Information on page 12 and Prescribing Information and Medication Guide [here](#).



For children ages 2 and older with moderate to severe polyarticular juvenile idiopathic arthritis (JIA).

How joint pain can start.

Your child's immune system protects their body from infections and diseases. But, if it isn't working right, it can actually cause harm to their own body, like when their immune system makes too much of a certain protein called tumor necrosis factor (TNF). Excessive TNF can increase inflammation, which can lead to joint pain and other symptoms.




For illustrative purposes only.

How ENBREL works.

ENBREL is designed to attach to TNF proteins to help block their activity. With fewer active TNF proteins, ENBREL can help your child have fewer symptoms, like joint pain, stiffness, and swelling.

Because ENBREL works on your child's immune system, it can make it harder to fight infections like the flu. If your child develops an infection while taking ENBREL, you should consult their physician right away.



For illustrative purposes only.

💡 Did you know?

In 1999, ENBREL became the first biologic approved to treat children with moderate to severe polyarticular JIA.

IMPORTANT SAFETY CONSIDERATIONS

Serious infections have happened in patients taking ENBREL. These infections include tuberculosis (TB) and infections caused by viruses, fungi, or bacteria that have spread throughout the body. Some patients have died from these infections. There have been some cases of unusual cancers reported in children and teenage patients who started using tumor necrosis factor (TNF) blockers before 18 years of age. Also, for children, teenagers, and adults taking TNF blockers, including ENBREL, the chances of getting lymphoma or other cancers may increase.

Please see Important Safety Information on page 12 and Prescribing Information and Medication Guide [here](#).

Why choose ENBREL?

HOW ENBREL works in JIA

Understanding JIA

How ENBREL works in plaque psoriasis

Understanding plaque psoriasis

How ENBREL can help

Injection tips

Injection options

Important Safety Information

ENBREL Support®

Notes

Prescribing Information

Print Here





For children ages 2 and older with moderate to severe polyarticular juvenile idiopathic arthritis (JIA).

Understanding JIA.

WHAT IS JIA?

JIA is the most common type of arthritis affecting children. It is a lifelong condition of the immune system. The immune system normally helps protect your child's body from sickness, but when your child has JIA, their immune system actually attacks healthy joints and tissues. Polyarticular JIA affects 5 or more joints, with pain lasting for more than 6 weeks.

WHO DOES JIA AFFECT?

- Children **under the age of 16***
- **Girls more frequently** than boys

COMMON SYMPTOMS OF JIA:

-  Warm or tender joints
-  Joint pain or stiffness, particularly in the morning or after resting
-  Joint swelling

*ENBREL is for children 2 years of age and older with moderate to severe polyarticular juvenile idiopathic arthritis.



YOU, YOUR CHILD, AND JIA.

As the parent of a child with JIA, you know each day brings a new challenge for both of you. Your child's pain and stiffness can make it hard for them to do even routine activities, like brushing their teeth, dressing, or playing with friends. So, if their bad days have become their every day, it may be time to talk about other treatment options with your child's doctor.

Learn about a treatment that can help significantly reduce your child's signs and symptoms—ENBREL.

Your child's results may vary.



"It hurt to stand up from my chair in class. Now with ENBREL, I'm in less pain."

Courtney K.

Taking ENBREL for moderate to severe polyarticular juvenile idiopathic arthritis (JIA).

Your child's results may vary.

IMPORTANT SAFETY CONSIDERATIONS

There have been some cases of unusual cancers, some resulting in death, reported in children and teenage patients who started using tumor necrosis factor (TNF) blockers before 18 years of age. Also, for children, teenagers, and adults taking TNF blockers, including ENBREL, the chances of getting lymphoma or other cancers may increase. Patients with RA may be more likely to get lymphoma.

Please see Important Safety Information on page 12 and Prescribing Information and Medication Guide [here](#).

Why choose ENBREL?

HOW ENBREL works in JIA

Understanding JIA

How ENBREL works in plaque psoriasis

Understanding plaque psoriasis

How ENBREL can help

Injection tips

Injection options

Important Safety Information

ENBREL Support®

Notes

Prescribing Information

Print Here





For children ages 2 and older with moderate to severe polyarticular juvenile idiopathic arthritis (JIA).

How ENBREL can help.

ENBREL is proven to help relieve joint pain, stiffness, and swelling from moderate to severe polyarticular JIA. With symptom relief, performing the everyday tasks and activities your child loves may become less painful.

BEFORE ENBREL



AFTER ENBREL



For illustrative purposes only. Results may vary.


💡 Did you know?

ENBREL is injected just once a week, and depending on your child's weight, you and your doctor can select from several injection options.

Learn more about injection options and get tips on injecting on pages 9–11.

What can you expect for your child from ENBREL?

Although everyone who takes ENBREL responds differently, a medical study has shown:



Your child's results may vary.



“After ENBREL, I could carry my books with a lot less pain.”

Tori C.

Taking ENBREL for moderate to severe polyarticular juvenile idiopathic arthritis (JIA).
Your child's results may vary.

IMPORTANT SAFETY CONSIDERATIONS

ENBREL can cause serious side effects including: New **infections** or worsening of infections you already have; **hepatitis B** can become active if you already have had it; **nervous system problems**, such as multiple sclerosis, seizures, or inflammation of the nerves of the eyes; **blood problems** (some fatal); new or worsening **heart failure**; new or worsening **psoriasis**; **allergic reactions**; **autoimmune reactions**, including a lupus-like syndrome and autoimmune hepatitis.

Please see Important Safety Information on page 12 and Prescribing Information and Medication Guide [here](#).

Why choose ENBREL?

HOW ENBREL works in JIA

Understanding JIA

How ENBREL works in plaque psoriasis

Understanding plaque psoriasis

How ENBREL can help

Injection tips

Injection options

Important Safety Information

ENBREL Support®

Notes

Prescribing Information

Print Here





For children ages 4 years and older with chronic moderate to severe plaque psoriasis (PsO).

Clearer skin can start from within.

How skin symptoms can start.

The immune system protects the body from infections and diseases. But, if it isn't working right, it can actually cause harm to your child's body, like when the immune system makes too much of a certain protein called tumor necrosis factor (TNF). TNF can cause inflammation, and can cause skin cells to grow too quickly, causing them to build up. When skin cells build up, they form itchy, raised, red patches, known as plaques.

HOW ENBREL WORKS.

ENBREL is designed to attach to TNF proteins to help block their activity. With fewer available TNF proteins, ENBREL can help your child have clearer skin. Because ENBREL works on your child's immune system, it can make it harder to fight infections like the flu. If your child develops an infection while taking ENBREL, you should consult their physician right away.

Why choose ENBREL?

HOW ENBREL works in JIA

Understanding JIA

How ENBREL works in plaque psoriasis

Understanding plaque psoriasis

How ENBREL can help

Injection tips


Injection options

Important Safety Information

ENBREL Support®


Notes

BEFORE ENBREL



For illustrative purposes only.

AFTER ENBREL



For illustrative purposes only.

Watch the video at UnderstandEnbrel.com

IMPORTANT SAFETY CONSIDERATIONS

Serious infections have happened in patients taking ENBREL. These infections include tuberculosis (TB) and infections caused by viruses, fungi, or bacteria that have spread throughout the body. Some patients have died from these infections. There have been some cases of unusual cancers reported in children and teenage patients who started using tumor necrosis factor (TNF) blockers before 18 years of age. Also, for children, teenagers, and adults taking TNF blockers, including ENBREL, the chances of getting lymphoma or other cancers may increase.

Please see Important Safety Information on page 12 and Prescribing Information and Medication Guide [here](#).

Prescribing Information

Print Here





For children ages 4 years and older with chronic moderate to severe plaque psoriasis (PsO).

Understanding plaque psoriasis.

WHAT IS PLAQUE PSORIASIS?

Plaque psoriasis, the most common form of psoriasis, is a lifelong condition that causes itchy, thick, scaly, red skin plaques. Most plaques occur on the elbows, knees, head, or lower back, but they can occur anywhere. Plaques often occur on both sides of the body, so if your child has plaques on one elbow, for example, it's common to have them on the other. And if symptoms suddenly look worse, it could be the result of what's called a flare-up.

WHO DOES PLAQUE PSORIASIS AFFECT?

About **7.5 million people** in the United States, with 25% considered to have moderate to severe plaque psoriasis, and nearly **20,000 pediatric cases** reported annually.

COMMON SYMPTOMS OF PLAQUE PSORIASIS:

-  Patches of red, thick skin with silvery scales
-  Flaking skin

WHAT IS ASSOCIATED WITH A FLARE-UP?

What causes a flare-up is actually unknown, but things like stress, infections (such as strep throat or skin infections), or cold weather are thought to contribute to flare-ups.



YOU, YOUR CHILD, AND PLAQUE PSORIASIS.

As the parent of a child with plaque psoriasis, you know each day can bring a new challenge for both of you. Your child may try and hide the plaques from friends and family by wearing long sleeves and pants when it's hot out. So, if their bad days have become their every day, it may be time to talk about treatment options with your child's doctor.

If your child has moderate to severe plaque psoriasis, ask how ENBREL can help your child have clearer skin.

Your child's results may vary.

Did you know?

ENBREL is the first treatment of its kind for children 4 years and older. In fact, in the past 3 decades, no systemic treatments (such as injections or pills) have been approved for moderate to severe plaque psoriasis in children 4 years and older in the US—until ENBREL.

IMPORTANT SAFETY CONSIDERATIONS

There have been some cases of unusual cancers, some resulting in death, reported in children and teenage patients who started using tumor necrosis factor (TNF) blockers before 18 years of age. Also, for children, teenagers, and adults taking TNF blockers, including ENBREL, the chances of getting lymphoma or other cancers may increase. Patients with RA may be more likely to get lymphoma.

Please see Important Safety Information on page 12 and Prescribing Information and Medication Guide [here](#).

Why choose ENBREL?

HOW ENBREL works in JIA

Understanding JIA

How ENBREL works in plaque psoriasis

Understanding plaque psoriasis

How ENBREL can help

Injection tips

Injection options

Important Safety Information

ENBREL Support®

Notes

Prescribing Information

Print Here



For children ages 4 years and older with chronic moderate to severe plaque psoriasis (PsO).

How ENBREL can help.

ENBREL is proven to help reduce plaque thickness, scaling and redness from plaque psoriasis.

💡 Did you know?

In general, ENBREL is injected just once a week, and depending on your child's weight, your child may have several injection options.

What results could your child expect from ENBREL?

Although everyone who takes ENBREL responds differently, below is an example of improvement in one area of plaque psoriasis. Moderate to severe plaque psoriasis affects larger portions and multiple areas of the body. The examples below are for illustration only.



BEFORE ENBREL
Example of plaque psoriasis



75% SKIN CLEARANCE WITH ENBREL AT 3 MONTHS
Achieved in more than half of kids



90% SKIN CLEARANCE WITH ENBREL AT 3 MONTHS
Achieved in approximately 1 in 4 kids

Your child's results may vary.

IMPORTANT SAFETY CONSIDERATIONS

ENBREL can cause serious side effects including: New **infections** or worsening of infections you already have; **hepatitis B** can become active if you already have had it; **nervous system problems**, such as multiple sclerosis, seizures, or inflammation of the nerves of the eyes; **blood problems** (some fatal); new or worsening **heart failure**; new or worsening **psoriasis**; **allergic reactions**; **autoimmune reactions**, including a lupus-like syndrome and autoimmune hepatitis.

Please see Important Safety Information on page 12 and Prescribing Information and Medication Guide [here](#).

Why choose ENBREL?

HOW ENBREL works in JIA

Understanding JIA

How ENBREL works in plaque psoriasis

Understanding plaque psoriasis

How ENBREL can help

Injection tips

Injection options

Important Safety Information

ENBREL Support®

Notes

Prescribing Information

Print Here





For children ages 2 and older with moderate to severe polyarticular juvenile idiopathic arthritis (JIA).

For children ages 4 years and older with chronic moderate to severe plaque psoriasis (PsO).

Why choose ENBREL?

HOW ENBREL works in JIA

Understanding JIA

How ENBREL works in plaque psoriasis

Understanding plaque psoriasis

How ENBREL can help

Injection tips

Injection options

Important Safety Information

ENBREL Support®

Notes

Prescribing Information

Print Here

Helping you and your child get more comfortable with injections.

It's no secret, needles can be scary, especially for children. That's why, as a parent, the more you know about your child's treatment, the more you can put their mind at ease.

Establishing a treatment routine that both you and your child are comfortable with can help the injection process. The injection tips on the following page can be a useful guide.

It is important to read the Instructions for Use (IFU) that comes with your medication. The IFU covers everything you need to know about how to use ENBREL. **This brochure does not replace the IFU for any ENBREL injection option.**



Injection tips.

- 1 Get your materials ready in advance, but out of your child's sight and reach
- 2 Allow ENBREL to reach room temperature (30 minutes). Before injecting, use ice to numb the area
- 3 Alternate recommended injection sites (e.g., if you used their right thigh last time, use their left this time)
- 4 Inject at the same time each week, like before breakfast on a Monday or after weekly soccer practice on Thursday night, to create a routine that helps you remember to give your child every injection
- 5 Use music, video games, or toys to make the injection a more comfortable experience
- 6 Offer hugs, praise, and rewards, like stickers or small prizes after each injection

IMPORTANT SAFETY CONSIDERATIONS

Serious infections have happened in patients taking ENBREL. These infections include tuberculosis (TB) and infections caused by viruses, fungi, or bacteria that have spread throughout the body. Some patients have died from these infections. There have been some cases of unusual cancers reported in children and teenage patients who started using tumor necrosis factor (TNF) blockers before 18 years of age. Also, for children, teenagers, and adults taking TNF blockers, including ENBREL, the chances of getting lymphoma or other cancers may increase.

Please see Important Safety Information on page 12 and Prescribing Information and Medication Guide [here](#).



For children ages 2 and older with moderate to severe polyarticular juvenile idiopathic arthritis (JIA).

For children ages 4 years and older with chronic moderate to severe plaque psoriasis (PsO).

Injection options.



Prefilled Syringe

This option doesn't need to be mixed or prepared; it comes conveniently ready to use.

- Single dose
- Manually injected (you control the rate of injection)
- Ease of Use[®] Commendation from the Arthritis Foundation
- 25-mg syringe: for children weighing at least 68 lbs (recommended dose 0.8 mg/kg weekly for children less than 138 lbs)
- 50-mg syringe: for children weighing 138 lbs or more



SureClick[®] Autoinjector

- Single dose
- Option for children with moderate to severe plaque PsO or JIA weighing less than 68 lbs
- Manually injected (you control the rate of injection)
- Does not need to be mixed or prepared
- Latex-free option for those with sensitivities

IMPORTANT SAFETY CONSIDERATIONS

Common side effects include: Injection site reactions, upper respiratory infections (sinus infections), and headache. Injection site reactions such as redness, pain, swelling, itching, or bruising have happened. Usually, injection site reactions go away in about three to five days. If your symptoms do not go away or get worse, call your healthcare provider.

Please see Important Safety Information on page 12 and Prescribing Information and Medication Guide [here](#).

Why choose ENBREL?

HOW ENBREL works in JIA

Understanding JIA

How ENBREL works in plaque psoriasis

Understanding plaque psoriasis

How ENBREL can help

Injection tips

Injection options

Important Safety Information

ENBREL Support[®]

Notes

Prescribing Information

Print Here



For children ages 2 and older with moderate to severe polyarticular juvenile idiopathic arthritis (JIA).

For children ages 4 years and older with chronic moderate to severe plaque psoriasis (PsO).

Injection options. (cont.)



Enbrel Mini[®] cartridge with AutoTouch[®] autoinjector

SEE IT. HEAR IT. KNOW IT. Light and sound cues let you know that you've gotten your full dose of Enbrel.

- **ONE-HANDED INJECTION**
You don't need to pinch or stretch your skin
- **CHIME NOTIFICATION**
Sound cues let you know when your injection is complete
- **PROGRESS TRACKING**
Progress bar helps track the injection from start to finish
- **HIDDEN-NEEDLE DESIGN**
Activates with skin contact

Children must weigh at least 138 lbs to use Enbrel Mini[®]. Children who weigh less than 138 lbs should use a different form of ENBREL.

Before injecting ENBREL, you should be trained by a healthcare professional and you should read the Instructions for Use and Medication Guide.

IMPORTANT SAFETY CONSIDERATIONS

Common side effects include: Injection site reactions, upper respiratory infections (sinus infections), and headache. Injection site reactions such as redness, pain, swelling, itching, or bruising have happened. Usually, injection site reactions go away in about three to five days. If your symptoms do not go away or get worse, call your healthcare provider.

Please see Important Safety Information on page 12 and Prescribing Information and Medication Guide [here](#).



SureClick[®] Autoinjector

This option is designed so the needle is not seen throughout the entire injection process.

- Single dose
- Ease of Use[®] Commendation from the Arthritis Foundation
- Does not need to be mixed or prepared

Children must weigh at least 138 lbs to use ENBREL SureClick[®] autoinjector. Children who weigh less than 138 lbs should use a different form of ENBREL.

Before injecting ENBREL, you should be trained by a healthcare professional and you should read the Instructions for Use and Medication Guide.

Why choose ENBREL?

HOW ENBREL works in JIA

Understanding JIA

How ENBREL works in plaque psoriasis

Understanding plaque psoriasis

How ENBREL can help

Injection tips

Injection options

Important Safety Information

ENBREL Support[®]

Notes

Prescribing Information

Print Here



Why choose ENBREL?

HOW ENBREL works in JIA

Understanding JIA

How ENBREL works in plaque psoriasis

Understanding plaque psoriasis

How ENBREL can help

Injection tips

Injection options

Important Safety Information

ENBREL Support®

Notes

Prescribing Information

Print Here



IMPORTANT SAFETY INFORMATION

What is the most important information I should know about Enbrel?

ENBREL is a medicine that affects your immune system. ENBREL can lower the ability of your immune system to fight infections. Serious infections have happened in patients taking ENBREL. These infections include tuberculosis (TB) and infections caused by viruses, fungi, or bacteria that have spread throughout the body. Some patients have died from these infections. Your healthcare provider should test you for TB before you take ENBREL and monitor you closely for TB before, during, and after ENBREL treatment, even if you have tested negative for TB.

There have been some cases of unusual cancers, some resulting in death, reported in children and teenage patients who started using tumor necrosis factor (TNF) blockers before 18 years of age. Also, for children, teenagers, and adults taking TNF blockers, including ENBREL, the chances of getting lymphoma or other cancers may increase. Patients with RA may be more likely to get lymphoma.

Before starting Enbrel, tell your healthcare provider if you:

- Have any existing medical conditions
- Are taking any medicines, including herbals
- Think you have, are being treated for, have signs of, or are prone to infection. You should not start taking ENBREL if you have any kind of infection, unless your healthcare provider says it is okay
- Have any open cuts or sores
- Have diabetes, HIV, or a weak immune system
- Have TB or have been in close contact with someone who has had TB
- Were born in, lived in, or traveled to countries where there is more risk for getting TB. Ask your healthcare provider if you are not sure
- Live, have lived in, or traveled to certain parts of the country (such as, the Ohio and Mississippi River valleys, or the Southwest) where there is a greater risk for certain kinds of fungal infections, such as histoplasmosis. These infections may develop or become more severe if you take ENBREL. If you don't know if these infections are common in the areas you've been to, ask your healthcare provider
- Have or have had hepatitis B

Please click [here](#) for the Prescribing Information and Medication Guide.

- Have or have had heart failure
- Develop symptoms such as persistent fever, bruising, bleeding, or paleness while taking ENBREL
- Use the medicine Kineret (anakinra), Orencia (abatacept), or Cytoxan (cyclophosphamide)
- Are taking anti-diabetic medicines
- Have, have had, or develop a serious nervous disorder, seizures, any numbness or tingling, or a disease that affects your nervous system such as multiple sclerosis or Guillain-Barré syndrome
- Are scheduled to have surgery
- Have recently received or are scheduled for any vaccines. All vaccines should be brought up-to-date before starting ENBREL. Patients taking ENBREL should not receive live vaccines.
- Are allergic to rubber or latex
- Are pregnant, planning to become pregnant, or breastfeeding
- Have been around someone with chicken pox

What are the possible side effects of ENBREL?

ENBREL can cause serious side effects including: New **infections** or worsening of infections you already have; **hepatitis B** can become active if you already have had it; **nervous system problems**, such as multiple sclerosis, seizures, or inflammation of the nerves of the eyes; **blood problems** (some fatal); new or worsening **heart failure**; new or worsening **psoriasis**; **allergic reactions**; **autoimmune reactions**, including a lupus-like syndrome and autoimmune hepatitis.

Common side effects include: Injection site reactions and upper respiratory infections (sinus infections). In general, side effects in children were similar in frequency and type as those seen in adult patients. The types of infections reported were generally mild and similar to those usually seen in children.

These are not all the side effects with ENBREL. Tell your healthcare provider about any side effect that bothers you or does not go away.

If you have any questions about this information, be sure to discuss them with your healthcare provider. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.



For children ages 2 and older with moderate to severe polyarticular juvenile idiopathic arthritis (JIA).

For children ages 4 years and older with chronic moderate to severe plaque psoriasis (PsO).

Once you've been prescribed ENBREL, *ENBREL Support*[®] is here to help you.

For more than 15 years, we've helped people with personalized support and resources for their prescribed ENBREL treatment.

ENBREL Support[®] offers financial assistance and information.

- **Co-Pay Card***: Eligible commercially insured patients may pay as little as \$5 per month with the Enbrel[®] Co-Pay Card.
- **Other Resources**: Options may be available for those without commercial insurance. Call us to learn more.

Have questions about the injection process? We'll provide you one-on-one help.

- **Supplemental support**: After your doctor has trained you on how to inject ENBREL, an *ENBREL Nurse Partner*[™] can help answer questions and provide supplemental injection support at home or over the phone.[†]
- **Online videos**[‡]: Check out helpful demonstration videos at injectingenbrel.com.
- **Live help**: Call 1-888-4ENBREL (1-888-436-2735) for help from an *ENBREL Nurse Partner*[™].[†]

Ready to begin treatment and have questions? My Enbrel Guide can help.

- **A guided journey**: My Enbrel Guide was co-created with patients and designed for new Enbrel[®] patients. Providing guidance and encouragement, My Enbrel Guide also answers questions you may have as your child begins treatment. To order one call 1.888.4.ENBREL or download it at enbrel.com/resources/my-enbrel-guide

Want to get started with *ENBREL Support*[®]?

It's simple to sign up:

- Call 1-888-4ENBREL
- OR-
- Visit enbrelsupport.com

Know when it's us

- **Scan and save**. Simply scan this code with your phone's camera and save us to your contacts so you know when we are calling.



*Terms, conditions, and program maximums apply. See enbrelsupport.com for full eligibility details. Other restrictions may apply. This program is not open to patients receiving prescription reimbursement under any federal, state, or government-funded healthcare program. Not valid where prohibited by law.

[†]*ENBREL Nurse Partners*[™] are nurses by training, but they are not part of your treatment team or an extension of your doctor's office. *ENBREL Nurse Partners*[™] do not inject patients with ENBREL. You will be referred to your doctor's office for clinical advice.

[‡]These videos are to supplement the information you got from your doctor on how to take ENBREL. They do not replace the Instructions for Use. Please consult the Instructions for Use when using ENBREL, and ask your doctor if you have any questions.

IMPORTANT SAFETY CONSIDERATIONS

ENBREL works on your immune system and can make it harder to fight infections. Serious infections, like tuberculosis (TB) and infections caused by viruses, fungi, or bacteria, have happened in patients taking ENBREL. Some patients have died from these infections. Your doctor should test you for TB before you take ENBREL. If you start to get an infection while you are taking ENBREL tell your doctor right away. ENBREL can also raise other safety concerns, like lymphoma and other cancers.

Please see Important Safety Information on page 12 and Prescribing Information and Medication Guide [here](#).

Why choose ENBREL?

HOW ENBREL works in JIA

Understanding JIA

How ENBREL works in plaque psoriasis

Understanding plaque psoriasis

How ENBREL can help

Injection tips

Injection options

Important Safety Information

ENBREL Support[®]

Notes

Prescribing Information

Print Here





For children ages 2 and older with moderate to severe polyarticular juvenile idiopathic arthritis (JIA).

For children ages 4 years and older with chronic moderate to severe plaque psoriasis (PsO).



Why choose ENBREL?

HOW ENBREL works in JIA

Understanding JIA

How ENBREL works in plaque psoriasis

Understanding plaque psoriasis

How ENBREL can help

Injection tips

Injection options

Important Safety Information

ENBREL Support[®]

Notes

Prescribing Information

Print Here

ENBREL Support[®] may help lower your monthly out-of-pocket prescription costs.

The Enbrel[®] Co-Pay Card.

When you enroll in ENBREL Support[®] and have commercial insurance, you can apply for the ENBREL Co-Pay Card which may help lower your out-of-pocket prescription costs for ENBREL. Eligible commercially insured patients may pay as little as **\$5** per month with the Enbrel Co-Pay Card*. Once approved, your card will be sent in the mail.

Most people who have commercial insurance (insurance you buy on your own or that is provided through your job) are eligible. Other options may be available for those without commercial insurance. Call us to learn more.

*Terms, conditions, and program maximums apply. Other restrictions may apply. See enbrelsupport.com for full eligibility details. This program is not open to patients receiving prescription reimbursement under any federal, state, or government-funded healthcare program. Not valid where prohibited by law.

Please see Important Safety Information on page 12 and Prescribing Information and Medication Guide [here](#).



Why choose ENBREL?

HOW ENBREL works in JIA

Understanding JIA

How ENBREL works in plaque psoriasis

Understanding plaque psoriasis

How ENBREL can help

Injection tips

Injection options

Important Safety Information

ENBREL Support[®]

Notes

Prescribing Information

Print Here



Notes:

Lined area for notes on the left page.

Notes:

Lined area for notes on the right page.

Ask your child's doctor if ENBREL is the right choice.



Why choose ENBREL?

HOW ENBREL works in JIA

Understanding JIA

How ENBREL works in plaque psoriasis

Understanding plaque psoriasis

How ENBREL can help

Injection tips

Injection options

Important Safety Information

ENBREL Support®

Notes

Prescribing Information

Print Here



Remember, ENBREL can help:

- Reduce pain, stiffness, and swollen joints in moderate to severe polyarticular JIA
- Achieve clearer skin in moderate to severe plaque psoriasis

Your child's results may vary.

IMPORTANT SAFETY CONSIDERATIONS

Serious infections have happened in patients taking ENBREL. These infections include tuberculosis (TB) and infections caused by viruses, fungi, or bacteria that have spread throughout the body. Some patients have died from these infections. There have been some cases of unusual cancers reported in children and teenage patients who started using tumor necrosis factor (TNF) blockers before 18 years of age. Also, for children, teenagers, and adults taking TNF blockers, including ENBREL, the chances of getting lymphoma or other cancers may increase.

Please see Important Safety Information on page 12 and Prescribing Information and Medication Guide [here](#).